

# Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

<b>Establishment Name</b> KENTUCKY FRIED CHICKEN (STATE ST)	<b>Telephone Number</b> Est (812) 945-8498 Own 802-274-4020	<b>Date of Inspection</b> 07/20/2021	<b>ID#</b>
<b>Address</b> 2124 STATE ST, NEW ALBANY IN 47150	<b>Purpose</b> <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b>	<b>Released</b> 07/30/2021
<b>Owner</b> HOUTSON ENTERPRISES/SHERRY HOUSTON		<b>Menu Type</b> 1 _ 2 _ 3 <u>X</u> 4 _ 5 _	
<b>Owner's Address</b> 4700 FALLS OF NEUSE RD SUITE 400 RALEIGH, NC 27609			
<b>Person in Charge</b> INFINITI KENDRICK			
<b>Responsible Person's Email</b> SARAHW@HEKFC.COM			
<b>Certified Food Handler</b> ENOCH WOODSON			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
 VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
324		X		Observed handsink near drive thru window in need re-mounting. It is being held up by its plumbing.	2 weeks
254		X		Observed thermometer in under counter cooler, under microwaves to be displaying the wrong temperature.	2 days
256		X		Observed no thermometer in under counter cooler on prep line.	Corrected
431		X	X	Observed wall behind drying rack in need of cleaning. (Repeat) Observed floor/wall junction near flour rack to be in need of cleaning.	2 days

**Summary of Violations**      C 0      NC 4      R 1

Received by (name and title printed):

Inspected by (name and title printed):

Thomas Snider CFS

Received by (signature):

Inspected by (signature):

*Thomas Snider*

cc:

cc:

cc: